

Treatment Sequencing Strategies

ALK positive mNSCLC



18 Aug 2023, Friday



8.00 PM - 9.30 PM IST



International Speaker

Dr. Shirish M. Gadgeel, MDChief, Division of Hematology & Oncology,
Henry Ford Cancer Institute/Henry Ford Health System

Moderator

Dr. Amish Vora

Director - Hope Oncology Clinic, Delhi

Panelists

**Dr. Sandeep Goyle**Head, Medical Oncology
Kokilaben Dhirubhai Ambani Hospital,
Mumbai**Dr. Vijay Agarwal**Professor & Senior Consultant
Apollo Hospitals, Bangalore**Dr. Ashish Singh**Associate Professor & Head Medical Oncology
Christian Medical College, Vellore**Dr. Sourav Mishra**Consultant - Medical Oncology
All India Institute of Medical Sciences,
Bhubaneswar**Dr. Shikhar Kumar**Consultant - Medical Oncology
Yashodha Hospitals, Hyderabad

Webinar ID: 837 9897 8778

JOIN NOW

Treatment Sequencing Strategies

ALK positive mNSCLC



18 Aug 2023, Friday



8.00 PM - 9.30 PM IST

Agenda

| Time (IST) | Topic | Presenter |
|----------------|---|---|
| 8.00 - 8.05 PM | Welcome & Introduction | Roche |
| 8.05 - 8.35 PM | Treatment sequencing strategies in ALK+ mNSCLC | Dr. Shirish Gadgeel |
| 8.35 - 9.15 PM | Case Based Panel Discussion – Optimal Sequencing of ALK inhibitors in ALK+ mNSCLC | <p>Moderator: Dr. Amish Vora</p> <p>Panelists: Dr. Shirish Gadgeel Dr. Sandeep Goyle Dr. Vijay Agarwal Dr. Ashish Singh Dr. Sourav Mishra Dr. Shikhar Kumar</p> |
| 9.15 - 9.25 PM | Q & A from Audience | All |
| 9.25 - 9.30 PM | Conclusion | Roche |



Webinar ID: 837 9897 8778

JOIN NOW

Disclaimer

1. © = Registered Trade Mark F. Hoffmann - La Roche Limited, Basel, Switzerland.
2. Full prescribing information available on request.
3. For scientific information on Roche Medicinal Product please write to india.medinfo@roche.com
4. For all Adverse Events/Special Situation Reports with Roche Medicinal Product please report the same to india.drugsafety@roche.com within one business day/24 hours.
5. No part of this material can be copied, photocopied, reproduced, translated, or reduced to any electronic medium in whole or in part without prior written consent of Roche

Input Code: M-IN-00003150

Valid upto: This input is not valid after 16/8/2024 or any update